

Incandescent lamps

Incandescent lamps

GE incandescent lamps trace their ancestry to the world's first practical electric bulb, invented by Thomas Alva Edison, founder of General Electric Company, in 1879.

More than a century of research and development later, our current range of GE incandescent lamps represent state-of-the-art lamps for residential and commercial use, as well as special purpose lamps for decorative and display applications.

Today's incandescent bulb houses a tungsten filament. When charged with electric current, the filament becomes white hot, and glows through a process called incandescence. Incandescent lighting is the most prevalent form of lighting today due to it's flexibility and cost. Incandescent lamps are commonly available in a large variety of size, shape, colour and wattage offering a wide range of application opportunities from home lighting to medical to industrial uses.



Content

Standard	12
Softlight elegance	13
Daylight	13
Longlife General Lighting Service	13
Extra Longlife General Lighting Service	13
Enrich™	14
Linestra	14
Krypton	14
Computer Light	14
Weekend / Insect	14
Decorative	15
Decorative Round	16
Daylight	16
Crown Mirrored	16
45 Softlight elegance	17
Candle	17
Softlight elegance	17
Decor Candle	18
Softlight Globe	18
Colored General Lighting Service	19
Colored Decorative Rounded	20
Colored Candle	20
Colored Pygmy	20
Reflector	22
PAR 38 Reflector Watt-Miser™	22
Enrich Reflector	22
Long Life Reflector	22
Infrared Reflector	23
Coloured Reflector	23
Pygmy	25
Fridge	25
Oven	25
Tubular T25	25
Tubular T28	25
Rough Service	27
Traffic Lights	27
Low & Extra Low Voltage GLS	27



Incandescent Lamps



Incandescent lamps

General home, office & industrial lamps

Product identification

The following glossary of terms and descriptions can help you when checking incandescent lamp specifications and explains how to use the product codes when ordering products. Within each product line, lamps are divided into families – within families lamps are listed by wattage.

General home, office & industrial Lamps



General Lighting Service (GLS) incandescent lamps continue to be popular light sources for many applications. They are recommended for their simple operation and ease of installation.

- Standard Lamps
- Softlight Elegance Lamps
- Daylight Lamps
- Longlife GLS Lamps
- GLS Extra Longlife Lamps
- Enrich Lamps
- Linestra Lamps
- Krypton Lamps
- Computer Lights
- Weekend/Insect Lights

Enrich™

For rich, white light that brings out the warmth of all that it touches, look to Enrich™. This unique blue glass bulb brings out the vibrant colours in furnishings and decorations by heightening colour contrast. The result is clear, crisp lighting that enhances family rooms, bedrooms, living rooms, bathrooms and all the other living and entertaining areas of your home. You've worked hard to create the perfect look for your home make it even better with Enrich™.



Watts:
Energy used. To find actual energy used (kWh) multiply power (watts shown) x hours of use divided by 1000

Product description:
Abbreviation of the lamps' main characteristics

Product Code:
It is important to use this code when ordering to ensure that you receive the exact product you require

Diameter:
Bulb diameter in mm

Lumens:
The lamp's rate output after the initial 2 hours of operation

Energy Efficiency Class:
Energy saving code

Standard Lamps

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
frosted									
15	230	E27	60	15A1/FR/E27	90	1000	1/10/50	F	91178
25	230	E27	60	25A1/FR/E27	230	1000	1/10/50	E	91181
40	230	E27	60	40A1/FR/E27	415	1000	1/10/50	E	91174
60	230	E27	60	60A1/FR/E27	710	1000	1/10/50	E	91175

The finish of the lamp

Cap/Socket
Types for different fittings

Volts:
Each lamp's voltage is listed

Pack structure:
within one outer case 10 individual boxes shrink-wrapped. Altogether 50 lamps fit in a box.

15 A1 / FR / E27

Identifies the lamp's wattage

Identifies the cap type

Describes type of lamp

Identifies the finish of the lamp

Incandescent lamps

General home, office & industrial lamps

STANDARD LAMPS - Multi purpose for all applications

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
frosted									
40	120/125	E27	60	40A1/F/E27	490	1000	1/10/100	D	113842
60	120/125	E27	60	60A1/F/E27	820	1000	1/10/100	D	115952
75	120/125	E27	60	75A1/F/E27	1070	1000	1/10/100	D	117952
100	120/125	E27	60	100A1/F/E27	1560	1000	1/10/100	D	119382
opal									
15	230	E27	60	15A1/FR/E27	90	1000	1/10/50	F	91178
25	230	E27	60	25A1/FR/E27	230	1000	1/10/50	E	91181
40	230	E27	60	40A1/FR/E27	415	1000	1/10/50	E	91174
60	230	E27	60	60A1/FR/E27	710	1000	1/10/50	E	91175
75	230	E27	60	75A1/FR/E27	940	1000	1/10/50	E	91176
100	230	E27	60	100A1/FR/E27	1340	1000	1/10/50	E	91177
150	230	E27	68	150A1/FR/E27	2160	1000	1/20	E	91125
200	230	E27	80	200A1/FR/E27	3040	1000	1/20	E	91128
opal									
25	240	E27	60	25A1/FR/E27	225	1000	1/10/50	E	92026
40	240	E27	60	40A1/FR/E27	410	1000	1/10/50	E	92028
60	240	E27	60	60A1/FR/E27	700	1000	1/10/50	E	92029
75	240	E27	60	75A1/FR/E27	930	1000	1/10/50	E	92030
100	240	E27	60	100A1/FR/E27	1330	1000	1/10/50	E	92031
B22									
60	120/125	B22	60	60A1/F/B22	820	1000	100	D	123792
75	120/125	B22	60	75A1/F/B22	1070	1000	100	D	124972
100	120/125	B22	60	100A1/F/B22	1560	1000	100	D	125962
B22									
15	230	B22	60	15A1/FR/B22	90	1000	1/10/50	F	91895
25	230	B22	60	25A1/FR/B22	230	1000	1/10/50	E	91896
40	230	B22	60	40A1/FR/B22	415	1000	1/10/50	E	92035
60	230	B22	60	60A1/FR/B22	710	1000	1/10/50	E	92034
75	230	B22	60	75A1/FR/B22	940	1000	1/10/50	E	92033
100	230	B22	60	100A1/FR/B22	1340	1000	1/10/50	E	92032
150	230	B22	68	150A1/FR/B22	2160	1000	1/20	E	91689
clear									
40	120/125	E27	60	40A1/CL/E27	490	1000	1/10/100	D	109410
60	120/125	E27	60	60A1/CL/E27	820	1000	1/10/100	D	115182
75	120/125	E27	60	75A1/CL/E27	1070	1000	1/10/100	D	117490
100	120/125	E27	60	100A1/CL/E27	1560	1000	1/10/100	D	118780
clear									
15	230	E27	60	15A1/CL/E27	90	1000	1/10/50	F	91221
25	230	E27	60	25A1/CL/E27	230	1000	1/10/50	E	91179
40	230	E27	60	40A1/CL/E27	415	1000	1/10/50	E	91170
60	230	E27	60	60A1/CL/E27	710	1000	1/10/50	E	91171
75	230	E27	60	75A1/CL/E27	940	1000	1/10/50	E	91172
100	230	E27	60	100A1/CL/E27	1340	1000	1/10/50	E	91173
150	230	E27	68	150A1/CL/E27	2160	1000	1/20	E	91087
200	230	E27	80	200A1/CL/E27	3040	1000	1/20	E	91127
E40									
300	230/240	E27	90	300A1/CL/E27	4850	1000	1/20	E	91226
300	230/240	E40	90	300A1/CL/E40	4850	1000	1/20	E	91724
E27									
40	240	E27	60	40A1/CL/E27	410	1000	1/10/50	E	92027
60	240	E27	60	60A1/CL/E27	700	1000	1/10/50	E	90537
75	240	E27	60	75A1/CL/E27	930	1000	1/10/50	E	90538
100	240	E27	60	100A1/CL/E27	1330	1000	1/10/50	E	90539
B22									
15	230	B22	60	15A1/CL/B22	90	1000	1/10/50	F	91899
25	230	B22	60	25A1/CL/B22	230	1000	1/10/50	E	91894
40	230	B22	60	40A1/CL/B22	415	1000	1/10/50	E	92162
60	230	B22	60	60A1/CL/B22	710	1000	1/10/50	E	91554
75	230	B22	60	75A1/CL/B22	940	1000	1/10/50	E	91561
100	230	B22	60	100A1/CL/B22	1340	1000	1/10/50	E	92036
150	230	B22	68	150A1/CL/B22	2160	1000	1/20	E	91225
B22									
60	250	B22	60	60A1/CL/B22	695	1000	10/100	E	29084
75	250	B22	60	75A1/CL/B22	920	1000	10/100	E	29104
100	250	B22	60	100A1/CL/B22	1320	1000	10/100	E	29105

SOFTLIGHT ELEGANCE - Low glare in white and soft colors

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
opal									
25	230	E27	60	25A1/SL/E27	200	1000	1/10/50	F	90540
40	230	E27	60	40A1/SL/E27	360	1000	1/10/50	F	90541
60	230	E27	60	60A1/SL/E27	620	1000	1/10/50	F	90542
75	230	E27	60	75A1/SL/E27	820	1000	1/10/50	F	90543
100	230	E27	60	100A1/SL/E27	1165	1000	1/10/50	F	90544
B22									
40	230	B22	60	40A1/SL/B22	360	1000	1/10/50	F	92037
60	230	B22	60	60A1/SL/B22	620	1000	1/10/50	F	92038
75	230	B22	60	75A1/SL/B22	820	1000	1/10/50	F	91545
100	230	B22	60	100A1/SL/B22	1165	1000	1/10/50	F	91546
apricot									
60	230	E27	60	60A1/SL-APRICOT/SL/E27	550	1000	1/15/30	F	91555
rose									
60	230	E27	60	60A1/SL-ROSE/SL/E27	550	1000	1/15/30	F	91559
jade*									
60	230	E27	60	60A1/JADE/SL/E27	550	1000	2/20	F	92453
citron*									
60	230	E27	60	60A1/CITRON/SL/E27	550	1000	2/20	F	92455
azur*									
60	230	E27	60	60A1/AZUR/SL/E27	550	1000	2/20	F	17645

*available only in blister

DAYLIGHT - Where crisp colors matter at work and hobby

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
100	240	B22	60	100A1/DAYLIGHT/B22	500	1000	1/10/50	G	34950
60	240	B22	60	60A1/DAYLIGHT/B22	300	1000	1/10/50	G	35090
60	230	E27	60	60A1/DAYLIGHT/E27	300	1000	1/10/50	G	91231
100	230	E27	60	100A1/DAYLIGHT/E27	500	1000	1/10/50	G	91233
40	230	E27	60	40A1/DAYLIGHT/E27	200	1000	1/10/50	G	91858
60	240	E27	60	60A1/DAYLIGHT/E27	300	1000	1/10/50	G	91859
100	240	E27	60	100A1/DAYLIGHT/E27	500	1000	1/10/50	G	91860
60	240	B22	60	60A1/DAYLIGHT/B22	300	1000	1/18	G	93052

LOONGLIFE GLS LAMPS - Longer service lower maintenance

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
clear									
100	230/240	E27	60	100A1/CL/L/E27	1080	2500	1/15/30	F	91237
40	240	E27	60	40A1/CL/L/E27	300	2500	1/10/50	G	91426
60	240	E27	60	60A1/CL/L/E27	540	2500	1/10/50	F	34907
75	240	E27	60	75A1/CL/L/E27	730	2500	1/10/50	F	34917
100	240	E27	60	100A1/CL/L/E27	1080	2500	1/10/50	F	34888
40	240	B22	60	40A1/CL/L/B22	300	2500	1/10/50	G	34897
60	240	B22	60	60A1/CL/L/B22	540	2500	1/10/50	F	34905
100	240	B22	60	75A1/CL/L/B22	1080	2500	1/10/50	F	34887
frosted									
40	240	E27	60	40A1/FR/L/E27	300	2500	1/10/50	G	34904
60	240	E27	60	60A1/FR/L/E27	540	2500	1/10/50	F	34910
75	240	E27	60	75A1/FR/L/E27	730	2500	1/10/50	F	34919
100	240	E27	60	100A1/FR/L/E27	1080	2500	1/10/50	F	34893
60	240	B22	60	60A1/FR/L/B22	540	2500	1/10/50	F	34908
75	240	B22	60	75A1/FR/L/B22	730	2500	1/10/50	F	34918
100	240	B22	60	100A1/FR/L/B22	1080	2500	1/10/50	F	34892


EXTRA LONG LIFE GLS LAMPS- 5000-6000 HOURS - Lasts for a lifetime

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
frosted									
60	230	E27	60	60A1/F/5000H/E27	590	5000	1/20	F	92766
40	240	E27	60	40A1/F/PL6KH E27	300	6000	1/10/100	G	18171
60	240	E27	60	60A1/F/PL6KH E27	500	6000	1/10/100	G	18188

Incandescent lamps


Decorative lamps

ENRICH - True natural colours




Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
40	230	E27	60	40A1/SL-ENRICH/E27	300	1000	2/20/40	G	91752
60	230	E27	60	60A1/SL-ENRICH/E27	510	1000	2/20/40	G	91753
100	230	E27	60	100A1/SL-ENRICH/E27	960	1000	2/20/40	G	91754
40	240	B22	60	40A1/SL-ENRICH/B22	300	1000	2/20	G	91755
60	240	B22	60	60A1/SL-ENRICH/B22	510	1000	2/20	G	91756
100	240	B22	60	100A1/SL-ENRICH/B22	960	1000	2/20	G	91757

LINESTRA LAMPS - General Linear Lighting for home applications




Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
opal									
35	230	2S14	30	35SL/0/300/2S14	220	2500	1/25	G	91487
60	230	2S14	30	60SL/0/500/2S14	420	2500	1/25	G	91488
35	230	S14	30	35SL/0/300/S14	220	2500	1/25	G	91505
60	230	S14	30	60SL/0/500/S14	420	2500	1/25	G	91486

KRYPTON LAMPS - Slim shape for hanging fixtures



Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
Superbalux - Frosted/Opal									
25	230	E27	50	25MK1/S/E27	215	1000	1/10/50	E	91697
40	230	E27	50	40MK1/S/E27	390	1000	1/10/50	E	91085
60	230	E27	50	60MK1/S/E27	700	1000	1/10/50	E	91086
75	230	E27	55	75MK1/S/E27	900	1000	1/10/50	E	91698
100	230	E27	55	100MK1/S/E27	1320	1000	1/10/50	E	91124
Opal									
25	230	E27	50	25MK1/O/E27	200	1000	1/10/50	F	91495
40	230	E27	50	40MK1/O/E27	380	1000	1/10/50	F	91494
60	230	E27	50	60MK1/O/E27	655	1000	1/10/50	E	91493
75	230	E27	55	75MK1/O/E27	865	1000	1/10/50	E	91492
100	230	E27	55	100MK1/O/E27	1200	1000	1/10/50	F	91536
40	230	B22	50	40MK1/O/B22	380	1000	1/10/50	F	91702
60	230	B22	50	60MK1/O/B22	655	1000	1/10/50	E	91701
75	230	B22	55	75MK1/O/B22	865	1000	1/10/50	E	33336
100	230	B22	55	100MK1/O/B22	1200	1000	1/10/50	F	91700
Frosted									
40	230	E27	50	40MK1/FR/E27	425	1000	1/10/50	E	91121
60	230	E27	50	60MK1/FR/E27	730	1000	1/10/50	E	91122
75	230	E27	55	75MK1/FR/E27	965	1000	1/10/50	E	91699
100	230	E27	55	100MK1/FR/E27	1380	1000	1/10/50	E	91123
Clear									
40	230	E27	50	40MK1/CL/E27	425	1000	1/10/50	E	91714
60	230	E27	50	60MK1/CL/E27	730	1000	1/10/50	E	91713
75	230	E27	55	75MK1/CL/E27	965	1000	1/10/50	E	91712
100	230	E27	55	100MK1/CL/E27	1380	1000	1/10/50	E	91711

COMPUTER LIGHT - More relaxing for the eye




Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
40	230	E14	45	40D1/COMPUTER/E14	360	1000	1/10/50	F	91766
40	230	E27	60	40A1/T-COMPUTER/E27	400	1000	1/10/50	E	91762
60	230	E27	60	60A1/T-COMPUTER/E27	680	1000	1/10/50	E	91763
60	240	B22	60	60A1/T-COMPUTER/B22	660	1000	1/10/50	E	91765

WEEKEND/INSECT LIGHT - Keeps flying insects away



Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
60	230	E27	60	60A1/WEEKEND/E27	200	1000	1/10/50	G	91129
100	230	E27	60	100A1/WEEKEND/E27	330	1000	1/20	G	91727

Decorative lamps



Twisted Decor Lamp

Décor:

GE offers new finishes and shapes to compliment the existing incandescent decorative range. They are specially designed to suit all environments and help to create different effects in interior situations like wall mounted fittings or chandeliers.

- Spherical Lamps
- Candles
- Globes
- Specialities (outdoor or coloured applications)

Twisted candle

- Ideal to use in open fittings thus enhancing atmosphere or creating lighting effects
- Available in 25-60W
- Cap selection: E14, E27, B22



Incandescent lamps

Decorative lamps

SPHERICAL FAMILY DECORATIVE ROUND LAMPS

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
clear									
15	230	E14	45	15D1/CL/E14	90	1000	1/10/50	F	92002
25	230	E14	45	25D1/CL/E14	200	1000	1/10/50	F	19781
40	230	E14	45	40D1/CL/E14	400	1000	1/10/50	E	19788
60	230	E14	45	60D1/CL/E14	660	1000	1/10/50	E	19791
frosted									
25	240	E14	45	25D1/CL/E14	200	1000	1/10/50	F	19775
40	240	E14	45	40D1/CL/E14	400	1000	1/10/50	E	19782
60	240	E14	45	60D1/CL/E14	660	1000	1/10/50	E	19784
15	230	E27	45	15D1/CL/E27	90	1000	1/10/50	F	91917
25	230	E27	45	25D1/CL/E27	200	1000	1/10/50	F	90564
40	230	E27	45	40D1/CL/E27	400	1000	1/10/50	E	90565
60	230	E27	45	60D1/CL/E27	660	1000	1/10/50	E	91593
15	230	B22	45	15D1/CL/B22	90	1000	1/10/50	F	91911
25	230	B22	45	25D1/CL/B22	200	1000	1/10/50	F	91987
40	230	B22	45	40D1/CL/B22	400	1000	1/10/50	E	91989
60	230	B22	45	60D1/CL/B22	660	1000	1/10/50	E	91991
frosted									
15	230	E14	45	15D1/FR/E14	90	1000	1/10/50	F	92003
25	230	E14	45	25D1/FR/E14	200	1000	1/10/50	F	19787
40	230	E14	45	40D1/FR/E14	400	1000	1/10/50	E	19789
60	230	E14	45	60D1/FR/E14	660	1000	1/10/50	E	19793
25	240	E14	45	25D1/FR/E14	200	1000	1/10/50	F	19777
40	240	E14	45	40D1/FR/E14	400	1000	1/10/50	E	19778
60	240	E14	45	60D1/FR/E14	660	1000	1/10/50	E	19786
15	230	E27	45	15D1/FR/E27	90	1000	1/10/50	F	90569
25	230	E27	45	25D1/FR/E27	200	1000	1/10/50	F	90566
40	230	E27	45	40D1/FR/E27	400	1000	1/10/50	E	90567
60	230	E27	45	60D1/FR/E27	660	1000	1/10/50	E	90568
15	230	B22	45	15D1/FR/B22	90	1000	1/10/50	F	91912
25	230	B22	45	25D1/FR/B22	200	1000	1/10/50	F	91988
40	230	B22	45	40D1/FR/B22	400	1000	1/10/50	E	91990
60	230	B22	45	60D1/FR/B22	660	1000	1/10/50	E	91594

DAYLIGHT - Where crisp colors matter at work and hobby

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
40	230	E14	45	40D1/DAY/E14	200	1000	1/10/50	G	12582
60	230	E14	45	60D1/DL/E14	330	1000	1/10/50	G	12516

CROWN MIRRORED LAMPS - Directed light

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
silver crown mirrored									
25	230	E14	45	25D1/SB/E14	150	1000	1/10/50	G	19796
40	230	E14	45	40D1/SB/E14	260	1000	1/10/50	G	18210
40	230	E27	60	40A1/SB/E27	290	1000	1/10/50	G	91130
60	230	E27	60	60A1/SB/E27	500	1000	1/10/50	G	91131
100	230	E27	60	100A1/SB/E27	1000	1000	1/50	G	91159
gold crown mirrored									
25	230	E14	45	25D1/GB/E14	130	1000	1/25	G	91918
40	230	E14	45	40D1/GB/E14	230	1000	1/5/50	G	90557
40	230	E27	60	40A1/GB/E27	260	1000	1/10/50	G	91135
60	230	E27	60	60A1/GB/E27	450	1000	1/10/50	G	91136

T45 SOFTLIGHT ELEGANCE - Low glare in white and soft colors

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
opal									
25	230	E14	45	25T45/SL/E14	175	1000	1/10/50	F	90563
40	230	E14	45	40T45/SL/E14	350	1000	1/10/50	F	90562
60	230	E14	45	60T45/SL/E14	600	1000	1/10/50	F	91952
rose									
40	230	E14	45	40T/SL-ROSE/E14	300	1000	1/20	G	90796
apricot									
40	230	E14	45	40T/SL-APRICOT/E14	320	1000	1/20	F	90797
Gold • Dorée									
25	230	E14	45	25WSPH/CMRGold/E14	130	1000	1/25	G	91918
Kroko-Gold									
25	230	E14	45	25D1/Kroko-Gold/E14	150	1000	1/25	G	91920
40	230	E14	45	40D1/Kroko-Gold/E14	320	1000	1/25	F	90559
Ice Crystal Opal									
25	230	E14	45	25D1/IceCR-WH/E14	160	1000	1/25	G	91615
40	230	E14	45	40D1/IceCR-WH/E14	350	1000	1/25	F	91921
Ice Crystal Amber									
25	230	E14	45	25D1/IceCR-AM/E14	150	1000	1/25	G	91919
40	230	E14	45	40D1/IceCR-AM/E14	320	1000	1/25	F	90558

CANDLE FAMILY

CANDLE LAMPS - Favorite shape in chandeliers

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
clear									
25	120/125	E14	35	25C1/CL/E14	220	1000	1/10/50	E	91676
40	120/125	E14	35	40C1/CL/E14	440	1000	1/10/50	E	91674
60	120/125	E14	35	60C1/CL/E14	720	1000	1/10/50	E	91678
25	230	E14	35	25C1/CL/E14	200	1000	1/10/50	F	90488
40	230	E14	35	40C1/CL/E14	400	1000	1/10/50	E	90487
60	230	E14	35	60C1/CL/E14	660	1000	1/10/50	E	90480
25	230	E27	35	25C1/CL/E27	200	1000	1/10/50	F	10870
40	230	E27	35	40C1/CL/E27	400	1000	1/10/50	E	10871
60	230	E27	35	60C1/CL/E27	660	1000	1/10/50	E	10873
frosted									
15	230	E14	35	15C1/FR/E14	90	1000	1/10/50	F	91346
25	230	E14	35	25C1/FR/E14	200	1000	1/10/50	F	91322
40	230	E14	35	40C1/FR/E14	400	1000	1/10/50	E	91323
60	230	E14	35	60C1/FR/E14	660	1000	1/10/50	E	91534
25	240	E14	35	25C1/FR/E14	200	1000	1/10/50	F	91680
40	240	E14	35	40C1/FR/E14	400	1000	1/10/50	E	91682
60	240	E14	35	60C1/FR/E14	660	1000	1/10/50	E	91683
25	230	B22	35	25C1/FR/B22	200	1000	1/10/50	F	91634
40	230	B22	35	40C1/FR/B22	400	1000	1/10/50	E	91636
60	230	B22	35	60C1/FR/B22	660	1000	1/10/50	E	91653
opal									
25	230	E27	35	25C1/O/E27	180	1000	1/10/50	F	10875
40	230	E27	35	40C1/O/E27	360	1000	1/10/50	F	10877
60	230	E27	35	60C1/O/E27	600	1000	1/10/50	F	10878

SOFTLIGHT ELEGANCE - Low glare in white and soft colours


Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
opal									
25	230	E14	35	25C1/SL/E14	180	1000	1/10/50	F	90483
40	230	E14	35	40C1/SL/E14	360	1000	1/10/50	F	90482
60	230	E14	35	60C1/SL/E14	600	1000	1/10/50	F	90481

Incandescent lamps

Decorative lamps

DECOR CANDLE LAMPS - Eye catching design


Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
twisted candles clear									
15	230	E14	35	15TC1/CL/E14	90	1000	1/10/50	F	10823
25	230	E14	35	25TC1/CL/E14	200	1000	1/10/50	F	10826
40	230	E14	35	40TC1/CL/E14	400	1000	1/10/50	E	10827
60	230	E14	35	60TC1/CL/E14	660	1000	1/10/50	E	10828
25	240	B15	35	25TC1/CL/B15	200	1000	1/10/50	F	91738
25	240	B22	35	25TC1/CL/B22	200	1000	1/10/50	F	91734
twisted candles frosted									
15	230	E14	35	15TC1/FR/E14	90	1000	1/10/50	F	10830
25	230	E14	35	25TC1/FR/E14	200	1000	1/10/50	F	10831
40	230	E14	35	40TC1/FR/E14	400	1000	1/10/50	E	10832
60	230	E14	35	60TC1/FR/E14	660	1000	1/10/50	E	10833
25	240	B15	35	25TC1/FR/B15	200	1000	1/10/50	F	91736
25	240	B22	35	25TC1/FR/B22	200	1000	1/10/50	F	91737
twisted candles Gold Glossed									
25	230	E14	35	25TC1/GDGloss-CL/E14	150	1000	1/10/50	G	91626
40	230	E14	35	40TC1/GDGoss-CL/E14	320	1000	1/10/50	F	91324
KrokoGold									
40	230	E14	35	40C1/KrokoGold/E14	320	1000	1/10/50	F	90494
Ice Crystal Opal									
40	230	E14	35	40C1/IceCR-WH/E14	350	1000	1/10/50	F	90493
Ice Crystal Amber									
40	230	E14	35	40C1/IceCR-AM/E14	320	1000	1/10/50	F	90492
bent-tip candles frosted									
25	230	E14	35	25C1/BentTipFR/E14	200	1000	1/25	F	92672
40	230	E14	35	40C1/BentTipFR/E14	400	1000	1/25	E	92673



GLOBE FAMILY

SOFTLIGHT GLOBE LAMPS - Soft decor finishes in giant sizes


Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
opal ø 60 mm									
25	230	E14	60	25G60/O/E14	160	2000	1/25	G	91099
40	230	E14	60	40G60/O/E14	290	2000	1/25	G	91100
60	230	E14	60	60G60/O/E14	490	2000	1/25	G	91158
40	230	E27	60	40G60/O/E27	290	2000	1/25	G	91143
60	230	E27	60	60G60/O/E27	490	2000	1/25	G	91144
KrokoGold - ø 60 mm									
40	230	E14	60	40G60/KrokoGold/E14	260	2000	1/25	G	91098
Gold - Ice Crystal Opal - ø 60 mm									
40	230	E14	60	40G60/IceCR-WH/E14	300	2000	1/25	G	91097
Ice Crystal Amber - ø 60 mm									
25	230	E27	60	25G60/IceCR-AM/E14	140	2000	1/25	G	91250
Opal - ø 80 mm									
40	230	E27	80	40G80/O/E27	290	2000	1/20	G	91104
60	230	E27	80	60G80/O/E27	490	2000	1/20	G	91109
100	230	E27	80	100G80/O/E27	890	2000	1/20	G	91147
KrokoGold - Ice Crystal Opal - ø 80 mm									
60	230	E27	80	60G80/IceCR-WH/E27	500	2000	1/20	G	91257
Ice Crystal Amber - ø 80 mm									
60	230	E27	80	60G80/IceCR-AM/E27	450	2000	1/20	G	91103



GLOBE FAMILY continued

SOFTLIGHT GLOBE LAMPS - Soft decor finishes in giant sizes


Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
Opal - ø 95 mm									
40	230	E27	95	40G95/O/E27	290	2000	1/20	G	91115
60	230	E27	95	60G95/O/E27	490	2000	1/20	G	91116
75	230	E27	95	75G95/O/E27	650	2000	1/20	G	91458
100	230	E27	95	100G95/O/E27	890	2000	1/20	G	91117
KrokoGold - ø 95 mm									
60	230	E27	95	60G95/KrokoGold/E27	450	2000	1/20	G	91111
100	230	E27	95	100G95/KrokoGold/E27	830	2000	1/20	G	91114
Ice Crystal Opal - ø 95 mm									
60	230	E27	95	60G95/IceCR-WH/E27	500	2000	1/20	G	91113
Ice Crystal Amber - ø 95 mm									
40	230	E27	95	40G95/IceCR-AM/E27	260	2000	1/20	G	91110
60	230	E27	95	60G95/IceCR-AM/E27	450	2000	1/20	G	91112
Opal - ø 125 mm									
40	230	E27	125	40G125/O/E27	290	2000	1/20	G	91298
60	230	E27	125	60G125/O/E27	490	2000	1/20	G	91093
100	230	E27	125	100G125/O/E27	890	2000	1/20	G	91095
150	230	E27	125	150G125/O/E27	1360	2000	1/20	G	91244
Eldea opal									
25	230	E14	72	25ELDEA/O/E14	160	2500	1/25	G	92604
40	230	E14	72	40ELDEA/O/E14	350	2500	1/25	F	92605
Elroyal opal									
40	230	E27	61	40ELROYAL/O/E27	360	2500	1/25	F	32897



SPECIALITY FAMILY - For party decoration and other applications

COLOURED GENERAL LIGHTING SERVICE

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
red									
15	230	E27	60	15A1/R/E27	N/A	1000	1/10/50	N/A	91930
25	230	E27	60	25A1/R/E27	N/A	1000	1/10/50	N/A	91162
40	230	E27	60	40A1/R/E27	N/A	1000	1/10/50	N/A	91291
60	230	E27	60	60A1/R/E27	N/A	1000	1/10/50	N/A	91934
orange									
15	230	E27	60	15A1/O/E27	N/A	1000	1/10/50	N/A	91929
25	230	E27	60	25A1/O/E27	N/A	1000	1/10/50	N/A	91165
40	230	E27	60	40A1/O/E27	N/A	1000	1/10/50	N/A	91290
yellow									
15	230	E27	60	15A1/Y/E27	N/A	1000	1/10/50	N/A	91931
25	230	E27	60	25A1/Y/E27	N/A	1000	1/10/50	N/A	91166
40	230	E27	60	40A1/Y/E27	N/A	1000	1/10/50	N/A	91292
60	230	E27	60	60A1/Y/E27	N/A	1000	1/10/50	N/A	91935
green									
15	230	E27	60	15A1/G/E27	N/A	1000	1/10/50	N/A	91928
25	230	E27	60	25A1/G/E27	N/A	1000	1/10/50	N/A	91164
40	230	E27	60	40A1/G/E27	N/A	1000	1/10/50	N/A	91289
60	230	E27	60	60A1/G/E27	N/A	1000	1/10/50	N/A	91942
blue									
15	230	E27	60	15A1/B/E27	N/A	1000	1/10/50	N/A	91927
25	230	E27	60	25A1/B/E27	N/A	1000	1/10/50	N/A	91163
40	230	E27	60	40A1/B/E27	N/A	1000	1/10/50	N/A	91352
60	230	E27	60	60A1/B/E27	N/A	1000	1/10/50	N/A	91932



Incandescent lamps

Reflector lamps

COLOURED DECORATIVE ROUND LAMPS



Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
red									
15	230	E14	45	15D1/R/E14	N/A	1000	1/10/50	N/A	90525
25	230	E14	45	25D1/R/E14	N/A	1000	1/10/50	N/A	91519
15	230	E27	45	15D1/R/E27	N/A	1000	1/10/50	N/A	90531
25	230	E27	45	25D1/R/E27	N/A	1000	1/10/50	N/A	92011
orange									
25	230	E14	45	25D1/O/E14	N/A	1000	1/10/50	N/A	92006
15	230	E27	45	15D1/O/E27	N/A	1000	1/10/50	N/A	90528
25	230	E27	45	25D1/O/E27	N/A	1000	1/10/50	N/A	92010
yellow									
15	230	E14	45	15D1/Y/E14	N/A	1000	1/10/50	N/A	90526
25	230	E14	45	25D1/Y/E14	N/A	1000	1/10/50	N/A	91520
15	230	E27	45	15D1/Y/E27	N/A	1000	1/10/50	N/A	90527
25	230	E27	45	25D1/Y/E27	N/A	1000	1/10/50	N/A	92012
green									
15	230	E14	45	15D1/G/E14	N/A	1000	1/10/50	N/A	92004
25	230	E14	45	25D1/G/E14	N/A	1000	1/10/50	N/A	91518
15	230	E27	45	15D1/G/E27	N/A	1000	1/10/50	N/A	91521
25	230	E27	45	25D1/G/E27	N/A	1000	1/10/50	N/A	91905
blue									
15	230	E14	45	15D1/B/E14	N/A	1000	1/10/50	N/A	92001
25	230	E14	45	25D1/B/E14	N/A	1000	1/10/50	N/A	91517
15	230	E27	45	15D1/B/E27	N/A	1000	1/10/50	N/A	91522
25	230	E27	45	25D1/B/E27	N/A	1000	1/10/50	N/A	92009

COLOURED CANDLE LAMPS



Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
red									
25	230	E14	35	25C1/R/E14	N/A	1000	1/10/50	N/A	90495
yellow									
25	230	E14	35	25C1/Y/E14	N/A	1000	1/10/50	N/A	90498
green									
25	230	E14	35	25C1/G/E14	N/A	1000	1/10/50	N/A	90496
blue									
25	230	E14	35	25C1/B/E14	N/A	1000	1/10/50	N/A	90495
rose									
40	230	E14	35	40C1/ROSE/E14	300	1000	1/10/20	G	90572

COLOURED PYGMY LAMPS



Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
Blue									
15	240	E14	28	15P1/B/E14	N/A	1000	1/50	N/A	12318
Green									
15	240	E14	28	15P1/G/E14	N/A	1000	1/50	N/A	12587
Red									
15	240	E14	28	15P1/R/E14	N/A	1000	1/50	N/A	12585
Yellow									
15	240	E14	28	15P1/Y/E14	N/A	1000	1/50	N/A	12586

Reflector lamps



GE Reflector is a lamp range constructed from blown glass bulbs with an interior mirror finish which directs light more efficiently to the required area or object to be illuminated.

- Reflector R39-R95
- PAR Reflector lamps
- Enrich lamps
- Long life Reflector lamps
- Infralamps
- Coloured Reflector lamps (e.g. disco)

Infrared Reflector lamps

These Infrared Reflector lamps convert power into clean, simple and convenient sources of radiant heat. Typical applications range from livestock raising, to industrial drying processes where the control and uniformity of heat distribution is advantageous.

Spot Reflector

- Available in White Satin or in different colors (Disco)
- Sizes are: R39, R50, R63, R80, R95
- E14/E27/B22 caps available
- In 25W-30W-40W-60W-75W-100W types



Incandescent lamps

Reflector lamps

REFLECTOR LAMPS - Spot lighting directs light

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Candela	Life (h)	Pack Qty	EEC	Product Code
ø 39 mm										
25	230	E14	39	25R39/E14	N/A	65	1000	1/10/100	N/A	91523
30	230	E14	39	30R39/E14	N/A	80	1000	1/10/100	N/A	91524
ø 50 mm										
40	120/125	E14	50	40R50/E14	N/A	440	1000	1/10/50	N/A	92126
25	230	E14	50	25R50/E14	N/A	130	1000	1/10/50	N/A	92373
40	230	E14	50	40R50/E14	N/A	250	1000	1/10/50	N/A	92366
60	230	E14	50	60R50/E14	N/A	350	1000	1/10/50	N/A	91327
ø 63 mm										
60	120/125	E27	63	60R63/E27	N/A	720	1000	1/10/40	N/A	92130
40	230	E27	63	40R63/E27	N/A	350	1000	1/10/40	N/A	91079
60	230	E27	63	60R63/E27	N/A	550	1000	1/10/40	N/A	91080
ø 80 mm										
60	120/125	E27	80	60R80/E27	N/A	250	1000	1/10/40	N/A	92127
100	120/125	E27	80	100R80/E27	N/A	490	1000	1/10/40	N/A	92128
40	230	E27	80	40R80/E27	N/A	140	1000	1/10	N/A	92858
60	230	E27	80	60R80/E27	N/A	240	1000	1/10	N/A	92839
75	230	E27	80	75R80/E27	N/A	320	1000	1/10	N/A	92859
100	230	E27	80	100R80/E27	N/A	450	1000	1/10	N/A	92860
ø 95 mm										
75	230	E27	95	75R95/E27	N/A	1000	1000	1/32	N/A	91351
100	230	E27	95	100R95/E27	N/A	1350	1000	1/32/	N/A	91366
150	230	E27	95	150R95/E27	N/A	2000	1000	1/32	N/A	91367

PAR 38 REFLECTOR WATT-MISER™ - Energy efficient and outdoor applications

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Candela	Life (h)	Pack Qty	EEC	Product Code
Spot clear										
60	230	E27	122	60PAR/SP/E27	N/A	3400	2000	1/12	N/A	91572
80	230	E27	122	80PAR/SP/E27	N/A	5400	2000	1/12	N/A	91577
120	230	E27	122	120PAR/SP/E27	N/A	9300	2000	1/12	N/A	91576
Flood clear										
60	230	E27	122	60PAR/FL/E27	N/A	1200	2000	1/12	N/A	91575
80	230	E27	122	80PAR/FL/E27	N/A	1800	2000	1/12	N/A	91574
120	230	E27	122	120PAR/FL/E27	N/A	3100	2000	1/12	N/A	91573

ENRICH REFLECTOR LAMPS - True natural colours

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Candela	Life (h)	Pack	EEC	Product Code
ø 50 mm										
25	230	E14	50	25R50/E14/230V/ENRICH	N/A	N/A	1000	1/25	N/A	91392
40	230	E14	50	40R50/E14/230V/ENRICH	N/A	N/A	1000	1/25	N/A	91393
ø 63 mm										
40	230	E27	63	40R63/E27/230V/ENRICH	N/A	N/A	1000	1/25	N/A	91339
60	230	E27	63	60R63/E27/230V/ENRICH	N/A	N/A	1000	1/25	N/A	91340
ø 80 mm										
60	230	E27	80	60R80/E27/230V/ENRICH	N/A	N/A	1000	1/20	N/A	91344
100	230	E27	80	100R80/E27/230V/ENRICH	N/A	N/A	1000	1/20	N/A	91345
ø 95 mm										
75	230	E27	95	75R95/ENRICH/E27	N/A	N/A	1000	1/20	N/A	91529
100	230	E27	95	100R95/ENRICH/E27	N/A	N/A	1000	1/20	N/A	92140

LONG LIFE REFLECTOR LAMPS - Longer service lower maintenance

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Candela	Life (h)	Pack	EEC	Product Code
Pluslife ø 63 mm										
40	240	E27	63	40R63/PL/E27	N/A	300	3500	1/10	N/A	47978
60	240	E27	63	60R63/PL/E27	N/A	450	3500	1/10	N/A	42831
ø 80 mm										
60	240	E27	80	60R80/PL/E27	N/A	200	3500	1/10	N/A	42830
100	240	E27	80	100R80/PL/E27	N/A	400	3500	1/10	N/A	42837

INFRARED REFLECTOR LAMPS - Heating and healing

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Candela	Life (h)	Pack	EEC	Product Code
Infrared PAR 38										
100	240	E27	122	100PAR/IR/E27	N/A	N/A	5000	1/10	N/A	92060
150	240	E27	122	150PAR/IR/E27	N/A	N/A	5000	1/10	N/A	91541
175	240	E27	122	175PAR/IR/E27	N/A	N/A	5000	1/10	N/A	91542
Infrared reflector - clear										
150	235/245	E27	125	150R/IR/CL/E27	N/A	N/A	5000	1/9	N/A	28720
250	235/245	E27	125	250R/IR/CL/E27	N/A	N/A	5000	1/9	N/A	28724
275	235/245	E27	125	275R/IR/CL/E27	N/A	N/A	5000	1/9	N/A	32569
Infrared reflector - red										
150	240	E27	125	150R/IR/R/E27	N/A	N/A	5000	1/10	N/A	91372
250	240	E27	125	250R/IR/R/E27	N/A	N/A	5000	1/10	N/A	91391
Infrared reflector - satin										
150	240	E27	125	150R/IR/SA/E27	N/A	N/A	5000	1/10	N/A	91288
250	240	E27	125	250R/IR/SA/E27	N/A	N/A	5000	1/10	N/A	91390
275	235/245	E27	125	275R/IR/SA/E27	N/A	N/A	5000	1/9	N/A	32296

COLOURED REFLECTOR LAMPS - Decorative spot lighting

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Candela	Life (h)	Pack	EEC	Product Code
Reflector Disco ø 50 mm										
red										
40	230	E14	50	40R50/R/E14	N/A	N/A	1000	1/25	N/A	91386
yellow										
40	230	E14	50	40R50/Y/E14	N/A	N/A	1000	1/25	N/A	91388
green										
40	230	E14	50	40R50/G/E14	N/A	N/A	1000	1/25	N/A	91389
blue										
40	230	E14	50	40R50/B/E14	N/A	N/A	1000	1/25	N/A	91387
ø 63 mm										
red										
40	230	E27	63	40R63/R/E27	N/A	N/A	1000	1/25	N/A	91532
yellow										
40	230	E27	63	40R63/Y/E27	N/A	N/A	1000	1/25	N/A	91531
green										
40	230	E27	63	40R63/G/E27	N/A	N/A	1000	1/25	N/A	91533
blue										
40	230	E27	63	40R63/B/E27	N/A	N/A	1000	1/25	N/A	91530
ø 80 mm										
red										
60	230	E27	80	60R80/R/E27	N/A	N/A	1000	1/40	N/A	91528
yellow										
60	230	E27	80	60R80/Y/E27	N/A	N/A	1000	1/40	N/A	91527
green										
60	230	E27	80	60R80/G/E27	N/A	N/A	1000	1/40	N/A	91526
blue										
60	230	E27	80	60R80/B/E27	N/A	N/A	1000	1/40	N/A	91525
PAR 38 Colorplus										
red										
80	230	E27	122	80PAR/FL/R/E27	N/A	N/A	2000	1/12	N/A	91540
yellow										
80	230	E27	122	80PAR/FL/Y/E27	N/A	N/A	2000	1/12	N/A	91539
green										
80	230	E27	122	80PAR/FL/G/E27	N/A	N/A	2000	1/12	N/A	91543
blue										
80	230	E27	122	80PAR/FL/B/E27	N/A	N/A	2000	1/12	N/A	91578

Incandescent lamps

Pygmy/Tubular lamps

Pygmy/Tubular lamps




These lamps are intended to be used in confined spaces of housing or industrial applications.

- Fridge lamps
- Oven lamps
- Cooker hood lamps
- Sewing machine lamps
- Tubular lamps



Pygmy Lamps

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
clear									
15	110	E14	28	15P1/CL/E14	90	1000	1/50	F	31821
15	110	B15	28	15P1/CL/B15	90	1000	1/50	F	31816
15	110	B22	28	15P1/CL/B22	90	1000	1/50	F	31811
frosted									
15	230	E14	28	15P1/CL/E14	90	1000	1/50	F	12512
25	230	E14	28	25P1/CL/E14	190	1000	1/10/50	F	91955
25	230	E14	28	25P1/CL/E14	190	1000	500	F	37916
15	240	E14	28	15P1/CL/E14	90	1000	1/10/50	F	91950
15	240	B15	28	15P1/CL/B15	90	1000	1/10/50	F	91780
15	240	B22	28	15P1/CL/B22	90	1000	1/10/50	F	91948
25	240	E14	28	25P1/CL/E14	190	1000	1/10/50	F	34420
25	240	B15	28	25P1/CL/B15	190	1000	1/10/50	F	34421
25	240	B22	28	25P1/CL/B22	190	1000	1/10/50	F	34422
frosted									
15	230	E14	26	15P1/FR/E14	90	1000	1/10/50	F	92047
25	230	E14	28	25P1/FR/E14	190	1000	1/10/50	F	92048



Fridge Lamps

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
clear fridge									
15	230	E14	26	15P1/CL/E14	90	1000	1/10/50	F	92046
15	230	E14	26	15P1/CL/E14	90	1000	500	F	149052



Oven Lamps

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
clear oven									
15	230	E14	22	15P1/CL/E14 OVEN	85	1000	1/50	F	12447
25	230	E14	22	25P1/CL/E14 OVEN	85	1000	1/50	F	12510
25	230	E27	22	25D1/CL/E27 OVEN	142	300	1/10/100	G	12513
40	230	E14	22	40D1/CL/E14 OVEN	320	300	1/10/50	F	12462
40	230	E27	22	40D1/CL/E27 OVEN	320	300	1/10/100	F	12515




TUBULAR T25 LAMPS - Cooker hoods, painting or furniture lighting

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
15	230	E14	25	15T25/CL/E14	90	1000	1/50	F	13118
25	230	E14	25	25T25/CL/E14	190	1000	1/50	F	13119
40	230	E14	25	40T25/CL/E14	400	1000	900	F	17169



TUBULAR T28 LAMPS - Cooker hoods, painting or furniture lighting


Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
clear									
25	230	E14	28	25T28/CL/E14	200	1000	1/50	F	13109
40	230	E14	28	40T28/CL/E14	400	1000	1/50	E	13110
60	230	E14	28	60T28/CL/E14	660	1000	1/50	E	13111
25	230	B22	28	25T28/CL/B22	200	1000	1/50	F	13117
opal									
40	230	E14	28	40T28/O/E14	400	1000	2/20	E	17688
60	230	E14	28	60T28/O/E14	660	1000	2/20	E	17690



Incandescent lamps

Special application lamps

Incandescent lamps for special application




This incandescent lamp group features those products which are ideal for tough conditions in special areas of applications such as:

- Rough service
- Traffic lights
- Extra Low Volt lamps


Rough Service Lamps

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
frosted									
60	120	E27	60	60A1/FR/RS/E27	450	1500	1/20	G	31546
100	120	E27	60	100A1/FR/RS/E27	840	3000	1/20	G	31573
40	230/240	E27	60	40A1/FR/RS/E27	250	3000	1/20	G	91228
60	230/240	E27	60	60A1/FR/RS/E27	500	3000	1/20	G	91229
100	230/240	E27	60	100A1/FR/RS/E27	880	3000	1/20	G	91227
40	120	B22	60	40A1/FR/RS/B22	300	1500	1/20	G	31519
60	120	B22	60	60A1/FR/RS/B22	450	3000	1/20	G	31535
100	120	B22	60	100A1/FR/RS/B22	840	3000	1/20	G	31560
100	230/240	B22	60	100A1/FR/RS/B22	880	3000	1/20	G	92018



Traffic Lights

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
clear									
40	230	E27	60	40A1/CL/E27	230	3000	1/10/100	G	35218
70	230	E27	60	70A1/CL/E27	420	3000	1/10/100	G	35238
60	230	E27	60	60A1/CL/E27	380	3000	1/10/100	G	35239
65	240	E27	60	65A1/CL/E27	400	3000	1/10/100	G	35240
150	230	E27	60	150A1/CL/E27	1250	3000	1/10/100	G	35245
100	230	E27	60	100A1/CL/E27	830	3000	1/10/100	G	35246
40	230	E27	60	40A1/EXTERIOR/CL/E27	230	3000	1/15	G	91293
60	230	E27	60	60A1/EXTERIOR/CL/E27	380	3000	1/15	G	91294



Low & Extra Low Voltage GLS Lamps

Watts	Volts	Cap	Diameter mm	Product Description	Lumens	Life (h)	Pack Qty	EEC	Product Code
frosted									
40	24	E27	60	24V40/FR/E27	570	1000	1/10/100	D	91874
60	24	E27	60	24V60/FR/E27	900	1000	1/10/100	D	91875
100	24	E27	60	24V100/FR/E27	1700	1000	1/10/100	D	91873
60	42	E27	60	42V60/FR/E27	840	1000	10/100	D	29051
clear									
25	24	E27	60	24V25/CL/E27	300	1000	1/10/100	D	35178
40	24	E27	60	24V40/CL/E27	570	1000	1/10/100	D	91876
60	24	E27	60	24V60/CL/E27	900	1000	1/10/100	D	91877
100	24	E27	60	24V100/CL/E27	1700	1000	1/10/100	D	35174
40	24	B22	60	24V40/CL/B22	570	1000	1/10/100	D	91879
60	24	B22	60	24V60/CL/B22	900	1000	1/10/100	D	91878

