


**niko**  
Illuminating ideas.

# General catalogue

2011 - 2012

Export



**Niko Home Control**



# EL 20

## Once again in the Niko range

To fulfil the specific needs of the customer, Niko has once again introduced these products to its range.  
This expansion is only available in Cream.

### TECHNICAL ADVANTAGES


- **robust**
  - solide sokkel
  - non-deformable and dirt-resistant plastic (thermoset)
- **large control keys**
- **invisible screws**



- **several mounting possibilities**
  - on an Easy-Link mounting plate
  - on a 6mm high mounting plate
  - can be mounted directly on the wall without mounting plate



- **advantages of the Easy-Link mounting plate**
  - perfect and time-saving mounting, both horizontal and vertical
  - quick mounting on plinths and lists
  - lots of wiring space
  - smart finish
- **quick and flexible mounting**
  - every product is provided with a break-out opening
  - aesthetic finish thanks to the M16 and M20 conduit openings


**Socket outlet without earthing, without safety shutters**


Only for replacement in existing installations installed before 1981.

**Complete unit for use with Easy Link system**

**II-362-10**

cream

Pack: 10


**Socket outlet with side earthing, without safety shutters**
**Complete unit for use with Easy Link system**

**II-368-10**

cream


Pack: 10

**Double socket outlet without earthing, without safety shutters**

—C 16A  
—C 250V ~



**Complete unit for use with Easy Link system**



**II-374-10**

cream


Pack: 5

**Double socket outlet with side earthing, without safety shutters**

—C 16A  
—C 250V ~



**Complete unit for use with Easy Link system**




**II-378-10**

cream

Pack: 5


**Combination of two-way switch and socket outlet without earthing, without safety shutters**


10A 250V~  
16A  
250V~

**Complete unit for use with Easy Link system**


**II-324-I6**  
cream  
Pack: 5


**Combination of two-way switch and socket outlet with side earthing, without safety shutters**


10A 250V~  
16A  
250V~

**Complete unit for use with Easy Link system**


**II-328-I6**  
cream  
Pack: 5


**Combination of series switch and socket outlet without earthing, without safety shutters**


10A 250V~  
16A  
250V~

**Complete unit for use with Easy Link system**




**II-324-I5**  
cream  
Pack: 5


**Combination of series switch and socket outlet with side earthing, without safety shutters**

10A 250V~  
16A  
250V~



**Complete unit for use with Easy Link system**


**II-328-I5**  
cream  
Pack: 5

**Two-way switch** 10A  
250V~**Complete unit for use with Easy Link system****II-316-10**



cream

Pack: 10

**Intermediate switch** 10A  
250V~**Complete unit for use with Easy Link system****II-317-10**



cream

Pack: 10

**Series switch**
 10A  
250V~
**Complete unit for use with Easy Link system****II-315-10**

cream

Pack: 10

**Double two-way switch**
 10A  
250V~
**Complete unit for use with Easy Link system****II-326-10**


cream

Pack: 10




**Two-pole pull-cord switch**

10A  
250V~




**Complete unit**



**II-332**  
cream  
Pack: 10

**Two-way pull-cord switch**


10A  
250V~





**Complete unit**





**II-336**  
cream  
Pack: 10

**Easy Link mounting plate**


Thermoplast. Suitable for flat trunking systems.

**Simple mounting plate with 2 screwed sleeves****II-751-02**cream  
Pack: 30**Double mounting plate for fixed combinations, with 2 screwed sleeves****II-752-02**cream  
Pack: 30**Mounting plate, 6mm thick**


Thermoset

**Simple mounting plate with 2 screwed sleeves (screws M4 not included)****II-781-02**cream  
Pack: 30**Simple mounting plate with metal cross and 4 screwed sleeves (screws M4 not included)****II-780**cream  
Pack: 30**Double mounting plate for fixed combinations, with 2 screwed sleeves (screws M4 not included)****II-782-02**cream  
Pack: 30**Double mounting plate for fixed combinations, with 4 screwed sleeves (screws M4 not included)****II-782-04**cream  
Pack: 30

**Conduit fittings**




**Conduit fitting for M16**



**II-865**  
cream  
Pack: 50

**Conduit fitting for M20**



**II-866**  
cream  
Pack: 50