




КСО «ОНЕГА»

КАМЕРЫ СБОРНЫЕ ОДНОСТОРОННЕГО ОБСЛУЖИВАНИЯ 6(10) кВ

РУКОВОДСТВО ПО ЭКСПЛУАТАЦИИ

	2
1	2
2	,	19
3	27
4	28
5	30
6	33
7	34
8	34
	1	35
	2	40
	3	46
	4	47

	/	1.5 30.01.2014 .		1
2.03-2011				49



10 , 10, 3.1. 630 , 1, 2, 20

1.2

1.2.1


1.

1

	6; 10; 20
	7,2; 12; 24
	630; 1000; 1250 630; 1000 200
	1000 630 630; 1000
	50...1000
	20
	63 50
	20
	51
	20
	51
	51 20
	24; 48; 110; 220/220
	70-110 / 65-120 85-110 / 80-110

	/	1.5	30.01.2014 .	3
2.03-2011				49

C	ISM15 (/TEL (1000)) D4	(BB/TEL), (HD4)
	SL(12,24)-B	
	SL(12,24)-D	
	SL(12,24)-E	
	-10 1(3), - -10	
	-1; -1-1 -70; -100; -125; -200 -125; -200 CSH - 120; CSH - 200 (Sepam);	
	-10 - 2 6(10) /100 ; 6,3(10,5) /100 ; .08 - 6(10) 2 6000, 6300 (10000)/100 .06 - 6(10) 3 6000/ 3, 6300/ 3 (10000/ 3, 10500/ 3); 100/ 3; 100/3 (-) - 6(10) 2 6000/ 3, 6300/ 3 (10000/ 3, 10500/ 3); 100/ 3; 100/3; - 6(10) 2 6000/ 3, 6300/ 3 (10000/ 3, 10500/ 3); 100/ 3; 100/3	
	- 40/145 3 6 (6.3, 10, 10.5)/0.4 Y/Y -0; - 1,25/6(10) 2; - 4/6(10) 2 - 1,25/6(10) 2	
	- /TEL-6/6,9 - 2; - /TEL-6/7,2 - 2; - /TEL- 10/11,5 - 2; - /TEL-10/12- 2; - - -6/6,9/10/2 (550) 2; - - -6/7,2/10/2 (550) 2; - - -10/11,5/10/2 (550) 2; - - -10/12/10/2 (550) 2.	
	-8-75-130 , -8-95-160 , -8-125-225	,
	-8-75-130, -8-95-160, -8-125-225	,




.1. (.11):

	/	1.5 30.01.2014 .		6
2.03-2011				49

1- ; 2- ; 3- ; 4- ; 5- SL;
 6- ; 7- ; 8- ; 9- ;
 10- ; 11- ; 12- ;
 - ;
 - ;
 - ;
 - ;

(. 2).

200 .



.2. (. 11):
 1- ; 2- SL; 3- ;
 4- ; 5- ; 6- ;
 ; 7- ; 8- ; 9- ; 10-

1.4.1.3.3

6.

din-


(. 3),

.4.

	/	1.5 30.01.2014 .		7
2.03-2011				49



(.2).

1- , 2- , - 3- 4-
(2).



.2 .
1 -

(.2) 2 6 3 1 (.2) 1 3
3 (.2).



.2 .
1-2 6 ;6
6 ;2-3 6


	/	1.5 30.01.2014 .		8
2.03-2011				49

	<p>IPR-A; SMPR Sepam 10, 20, 40, 60, 80 « - 3»: - 3 - « - 2» 3- : - ; - 2 - ; - 2 - ; - 21 - ; - 2 - ; - 2 - ; - 2 - ; - 21 - ; - 2 - ; - ; - 21 - ; - ; - ; - 2 - ; - « - 2» 2- : - « »: - - 100 : 101 - ; 102 - ; 103 - ; 103- ; 104 - ; 105 - ; 106 - - 100 -10 SPAC 810 - , , , , , , MiCOM P121;P122; P123; P124; P126; P127; 143; P632 40TE; P921; P922; 923 2502 : 01, 02, 03, 04, 05, 07, 08, 11 -200</p>
	<p>- - , -</p>
	<p>TSP-200/24-SAN GSM- ER75iX Twin EDGE/GPRS Router Ethernet- EDS-205, EDS-205A-S-SC, EDS-508A, EDS-518A SS-SC, EDS-516A - IMC-21-S-SC RM-116 i-7520 M-7051D / M-7055D M-7045D, M-7045D-NPN i-7188XAD AB7000, AB7029, MGate MB3480 U-336E Plus</p>
	<p>, , , 11 6806 AET 100, 200, 300, 400 E849, E859, E855, E854, E842, E858, E3855, E857</p>
	<p>MSF220</p>

1.4.2


, , ,
 ,
 .
 (. 16).
 6 2.

	/	1.5 30.01.2014 .		9
2.03-2011				49



.3.

(.11)



.4.

1 - ; 2 -

; 3 -

; 4 -

; 5 -

	/	1.5	30.01.2014 .	10
2.03-2011				49

1.4.3

(. . 3)

(

),

(. 14).

1.4.4

. 5

(

),

		(- (-1), (-1)
		/ /
		/ / !
		ISM15 (BB/TEL) (c BU/TEL-XX/XX-12-03A, BU/TEL-220-10- 2, BP/TEL-220-02A)
		ISM15 (BB/TEL)


.5.

1.5

1.5.1

. 6.

	/	1.5 30.01.2014 .		11
2.03-2011				49



. 6.

« , !» 12.4.026.

1.5.2

14192:

- « . »;
- « »;
- « »;
- « »;
- « »;
- « ».

;

- ;

- ;

- ;

- , ;

- (,), ;

- , 3;

-

1.6

23216

, 9.014, 1000 1 -

-2 -

(. 12 + . 23,

).

:

- -II -5 (-

);

- -I (, ,

).

	/	1.5 30.01.2014 .		12
2.03-2011				49

1.7

1.7.1

ISM15 (BB/TEL)
HD4

(ISM15 (BB/TEL))

(HD4)

-
-

(HD4);

(ISM15 (BB/TEL)).

8.


1.7.2 SL (.7,

0,5 . 1,

2,

- « » -
- « » -
- « » -

:
(
);
(
(
).



.7. SL:

1 - ; 2 -


SL

()

SL (2.04).


	/	1.5	30.01.2014 .		13
2.03-2011					49

1.7.3







(- ; 2 - ; 3 - ; 4 - ; 5 - ; 6 -):
 1 - ; 2 - ; 3 - ; 4 - ; 5 - ; 6 -
 2
 3,
 5 4.
 6.

1.7.4






1.7.5

	/	1.5 30.01.2014 .		14
2.03-2011				49

		<p>10–12, 14</p>
<p>SL</p>		<p>1, 2, 4–7, 10–12, 14, 16–19, 21–24, 30</p>
<p>/</p>		<p>4–7, 10–12, 14, 16–19, 21–24, 30</p>
		<p>4–7, 10, 11, 14, 16–19, 21–24, 30</p>
		<p>4–7, 10, 11, 14, 16–19, 21–24, 30</p>


	/	1.5 30.01.2014 .	15
2.03-2011			49

		
<p>– «AB»</p> <p>/</p> <p>– « D»</p> <p>2;</p> <p>1.</p> <p>1 (2)</p> <p>(. . 5)</p>		
<p>– «A»</p> <p>/ ;</p> <p>– «B»</p> <p>/ ;</p> <p>– «C»</p> <p>;</p> <p>– «D»</p>		<p>1, 2, 4–7, 10–12, 14, 16–19, 21–24, 30</p>


1.7.6

	/	1.5 30.01.2014 .	16
2.03-2011			49

. 10.



SL.



1.7.7

1.7.7.1

(. . 3). -

:

- 6 (10, 20) ;

- ;

- ;

- ;

- SCADA- , ;

- , ;

1.7.7.2

:

- , ;

- SCADA- ;

- () ;

- ;

1.7.7.3

,

- ;

- , ;

- ;

	/	1.5	30.01.2014 .		17
2.03-2011					49


1.7.7.4

(-) - (. . 4).

) ()

()

(. 11),



.11.

(- 630 , - 1000) 1 - ;

(2 - 1000 -)

!

	/	1.5 30.01.2014 .		18
2.03-2011				49

1.7.7.5

— ;
 — ;
 — ;
 — ;
 — ().

，
 ，

2 ，

2.1

CO
 34.45-51.300.
 CO

2.2

12.2.007.0, 12.2.007.4






，
 -
 ，
 ，
 ，
 -

2.3

CO,
 :
 —
 ，
 ，
 — ;
 — ;
 — 2500 ， 1300
 — ;
 — 900 / ²;
 —
 — ;
 — ±1 1 .

2.4

	/	1.5 30.01.2014 .		19
2.03-2011				49



. 12.

2.5

2.5.1

- : —
-
- ;
- ;
- ;
- ;

2.5.2

. 13

13 (. 14).

2°.

6

(. 15).


(8)

. 16 .

. 16

	/	1.5 30.01.2014 .		20
2.03-2011				49


(
(
).



. 13.


12×80

;
12 DIN933;
12 DIN933



. 14.

1- ;
2-



. 15.

1- ;
2-

-
-
I (. 17);

8;


2 50×50

3


;
-
,

	/	1.5	30.01.2014 .		21
2.03-2011					49


4 ;
 5;
 6;
 4;
 ;



. 16 .




	/	1.5	30.01.2014 .	22
2.03-2011				49



.17.

1 – ; 2 – ; 3 – ; 4 – ; 5 –

2.5.3



.18.

1 – ; 2 – ; 3 – ; 4 – ; 5 – (3); 6 –

– I (. . 18)

(

–

2

	/	1.5	30.01.2014 .	23
2.03-2011				49

- ;
 - 3 2
 - 4() ;
 - 1 ;
 - 5 ;
 - ;
 - 6.
 2.5.4 :
 - ;
 - , 8.8,
 8 .
 4.
 - « 2(.18). » , I
 - , 1, 4 , 6(.18).
 - ;
 - ;
 - .



.18 .
 1 - ; 2 - (3 .)




.18 .
 1 - ; 2 - 6(4 .)

	/	1.5	30.01.2014 .	24
2.03-2011				49

2.5.5

— I (.19)



.19. :

- 1 — ; 2 —
- 3 — ; 4 — ; 5 — ; 1 —
- 6 — ; 4 — ; 5 —
- 7 — ; 7 —

— 2

— 3 ;

— 8;

— 5 2 ;

— 7;

— ;

— 0,4 ;

— .

2.5.6

— I (. .20):


- 2 4 ;
- 3 8;
- 4 5
- 6;
- 2
- 7 8;
- 8 2.

2.6

():

() :

(2 4);



.20.

- 1 — ; 2 — ; 3 — ;
- 4 — ; 5 — ; 6 — ;
- 7 — ; 7 —

	/	1.5 30.01.2014 .		25
2.03-2011				49

— 6 ; ;

— , ;

— . ;

2.7 : ;

— ; , ,

— ; ;

— ; ;

— ; ;

— ; ;

— ; ;

— ; ;

— ; ;

2.8 (,

1.8 , . .)

34.45-51.300-97 «

».

- :

— (, ,) ;

— , (, , ,) ;

— ,) ;

— ;

— 3 ;

— ;

2.8.1 5 . ,

2.8.2 .

2.8.3 U 0,8 U .

2.8.4

— :

— ;

	/	1.5 30.01.2014 .		26
2.03-2011				49

— ;
 — ;
 — ;
 — ;
 — ;

120 ()
 . (,
) . (,
 , -). (

3

3.1

:
 — « » ();
 — « » ();
 — « » (7);
 — « » ();

3.2

3.3

3.4

+ 15° .

3.5

. 6.

	/	1.5 30.01.2014 .		27
2.03-2011				49

-	(с пружинным приводом)			,
	« »			« »
				»
				« »
				»
		()		« »
	« »			« - »
	« - »			« - »
- , - , - SL			« »	« » , » ,
			« », « »	» , « »
	« »		« »	« - » « »
			« »	« - » « »
		-	« », « »	» «
			« », « »	» , « »
	« »		« »	« - » « »
			« »	« - » « »
		-	« », « »	» «
				» , « »
			» , « »	

4

4.1

	/	1.5 30.01.2014 .		28
2.03-2011				49

4.2

« ».

—

»», «

— ;

— ();

— ().

— ()

— .),

7.

4.3

— ;

— ;

— ;

—

4.

	/	1.5 30.01.2014 .		29
2.03-2011				49

			5
!			5
			2
			5
			5
			2
			2
			2
			5
			5
			5
			2

4.4 , , :

– , ; ,

– 5009, 6456 ,

– , (, . .),

5

5.1

,

,

,

,

	/	1.5 30.01.2014 .		30
2.03-2011				49

. 4.2

5.2


5.3

. 2.5.

() (

. 21):


- 1 ;
- ;
- ;
- 2 ;
- 3 ;
- 4 ;
- ;
- 4 ;



. 21.


- 1 - ;
- 2 - ;
- 3 - ;
- 4 - ;

	/	1.5 30.01.2014 .		31
2.03-2011				49



1- ; 2- ; 3- ; 4-
 5.4
 - 1 (. 22) 2,
 , ;
 - 3 ;
 - 4 ;
 - ;
 - ;

5.5 (. 23):



1- ; 2- ; 3- (/TEL):
 ; 5- ; 6- ; 4-
 - ; 7-
 -) ; (12 -
 - 1
 - 2 ;
 - 3 4 ;
 - 5 ;

	/	1.5 30.01.2014 .		32
2.03-2011				49


— (6 . 6);) 7 6 (2 . 10

5.6

(1 2);
(3 4);

5.7

SL (. 24):



1— ; 2— ; 3— ; 4—

6

6.1













	/	1.5 30.01.2014 .		33
2.03-2011				49













- .
 - 15150. CO
 50 40°
 98% 25° .
 , - 0,5 .
 , 1
6 , .
 6.2
 - 4 15150
 - 23216.
 50 40° CO 98% 25° .
 / .
 , .
7
 7.1
 7.2
 /
 7.3 ,
 , 12.1.007-76
 2.
8
 « » -6(10,20)- 2 3.1 « »
 3414-033-45567980
 , , -3 ,
 3,5 .













	/	1.5 30.01.2014 .		34
2.03-2011				49







:
 / /
 **** - : 1 - 2010 , 2 - 2210 , 3 - 2235 , 4 - 2035 ;
 - 630, 1000 ;
 - 630 .
 - ;
 (: .3 -
 , - , - , - , - , -
).

1	1	1.2	3
500×1050×****	750×1050×****	500×1050×****	300×1050×****
3.1	4	5	5.1
500×1050×****	500×1050×****	500×1050×****	500×1050×****


6	6.1	7	7.1
500 1050 ****	500 1050 ****	500 1050 ****	500 1050 ****
			
7.2	7.3	10	10.1
500x1050x****	500x1050x****	750x1050x****	750x1050x****
			
10.2	10.3	10.4	11
650x1050x****	650x1050x****	750x1050x****	750x1050x****
			

11.1	11.3	11.5	12
750×1050×****	750×1050×****	750×1050×****	500×1050×****
			
13	14	16	17
	/		
750×1050×****	750×1050×****	500×1050×****	500×1050×****
			
19	19.1	19.2	20
	/		
750×1050×****	750×1050×****	750×1050×****	750×1050×****
			


20.1	21	22	22.2
500×1050×****	750×1050×****	750×1050×****	500×1050×****
			
23	24	24.1	24.2
500×1050×****	500×1050×****	500×1050×****	500×1050×****
			
30	30.1	30.2	33
500×1050×****	500×1050×****	500×1050×****	750×1050×****
			

36	37	38	38.1
	- 0,4		
500×1050×****	500×1050×****	L = 3340 – 6040 100	L = 4000–30000
			
39	40	40.1	41
500×1050×****	500×1050×****	500×1050×****	500×1050×****
			

1-



2-





.2.1.

1 2



750

	/	1.5	30.01.2014		40
2.03-2011					49

3-



4-





. 2.2.

3 4



750

	/	1.5	30.01.2014 .		41
2.03-2011					49

1-



2-




.2.3.

1 2


650

	/	1.5	30.01.2014 .		42
2.03-2011					49

3-



4-




.2.4.

3 4


650

	/	1.5	30.01.2014		43
2.03-2011					49

1-



2-




. 2.5.

1 2


500

	/	1.5	30.01.2014 .		44
2.03-2011					49

3-



4-




.2.6.

3 4




500

	/	1.5	30.01.2014 .		45
2.03-2011					49

3



A



. 3.1.

	/	1.5 30.01.2014 .		46
2.03-2011				49

4.1

	8	10	12	16	20
–	35	50	80	100	150
–	22	30	40	60	–
/	22	30	40	60	–
SL12/24	–	30	–	–	–

	/	1.5	30.01.2014 .		47
2.03-2011					49



ОАО «ПО Элтехника»

192288, Санкт-Петербург,
Грузовой проезд, 19
Тел.: (812) 329-97-97
Факс: (812) 329-97-92
E-mail: info@elteh.ru

www.elteh.ru

Коммерческий отдел:

Тел.: (812) 329-33-97
Факс: (812) 772-58-86
E-mail: sales@elteh.ru

**Группа сервиса
и качества продукции:**

Тел.: (812) 329-25-51
Факс: (812) 772-58-86
E-mail: service@elteh.ru

Служба персонала:

Тел.: (812) 329-97-52
Факс: (812) 329-97-91
E-mail: job@elteh.ru