

()
INTERSTATE COUNCIL FOR STANDARDIZATION, METROLOGY AND CERTIFICATION
(ISC)

IEC 60811-408- 2015

-

4 0 8

▪

(IEC 60811-408:2012,)



2016

IEC 60811-408—2015

1.0—2015 «

1.2—2015 «

1 «

2 «B» 5

2 46 «

3 (27 2015 . 81-)

3166 004-97	(3166) 004-97	
	AM BY KG RU TJ	3 K T

4 2016 . 1277- IEC 60811408—2015 30 -
1 2017 .

5 IEC 60811408:2012 « 408. -

» {«Elect and optical fibre cables —Test methods for -metallic materials — Part 408: Miscellaneous tests — Long-term stability test of polyethylene and polypropylene compounds». IDT). IEC 60811-408:2012 20 « -

» (IEC). IEC 60811-408:2012

IEC 608114-2:2004.

6 IEC 608114-2—2011 « -

7 . IEC

IEC 60811-408—2015

«(« », —) —
« ».
— , —

IEC 60811-408—2015

1	1
2	1
3	1
4	2
4.1	2
4.2	3
5	3
()	4
()	5
	5

8	IEC 60611	,	-
1		,	-
2		,	-

408

Electric and optical fibre cables. Test methods for -metallic materials.
 Part 408. Miscellaneous tests. Long-term stability test of polyethylene and polypropylene compounds

— 2017—07—01

1

I 60811 -410.

2

IEC 60811-100:2012 Seethe and optical fibre cables — Test methods for -metallic materials — Part 100: General (100.)

IEC 60811-410 Electricand optical fibre cables — Test methods for -metallic materials — Part 410: Miscellaneous tests —Test methods for copper-catalyzed oxidative degradation of polyolefin insulated conductors (410.)

ISO 188 Rubber, vulcanized or thermoplastic — Accelerated ageing and heat resistance tests ()

3

B no IEC 60811-100.

4.1.5

4.2

4.2.1

4.1.1

4.2.2

04.1.2.

4.2.3

2.5

7

- $(60 \pm 2) *$ —
- $(70 \pm 2) *$ —

50

70 *

— IEC 60811-601.

()

200

2

.4 ().
200

200

200

10

4.2.4

04.1.4.

4.2.5

04.1.5.

5

IEC 60811 >100.

IEC 60811-408—2015

(A)

.1

60

0.1

.2

(4.1.1).

3—5

.4

0.1

2

(OtT) IEC 60811-410

()

.1

IEC 60811-100:2012		IEC 60811-100—2018 « 100. *	- -
IEC 60811-410		IEC 60811-410—2015 « 410. »	- -
ISO 188		ISO 188—2013 « *	-
• IDT —			-

IEC 60811-4-2:2004 insulating and sheathing materials of electric and optical cables — Common test methods — Part 4-2: Methods specific to polyethylene and polypropylene compound — Tensile strength and elongation at break after conditioning at elevated temperature — Wrapping test after conditioning at elevated temperature — Wrapping test after thermal ageing in air — Measurement of mass increase — Long-term stability test — Test method for copper-catalyzed oxidative degradation (4-2.)

() IEC 60811-601:2012 Electric and optical fibre cables — Test methods for non-metallic materials — Part 601. Physical tests — Measurement of the drop point of filling compounds (601.)]

IEC 60811-408—2015

621.315.2:001.4:006.354

МКС29.060.20

IDT

: , , ,

. 10.2016. . . 1.40. .* . . 1.30. 30 > 6 0 * 8 4 . 2520

«. 12399\$. . 4.